


ASS H 5.2.02 Capped internal corner.



Scale 1/4

1

В

Notes:

- Faces of corner capping can be adjusted to tie in visually with other cladding elements.
- Similar in concept to external corner ASS H 5.1.02.
- Generic structural details are given for indicative purposes only.

All dimensions are indicative unless specified on the drawing Sheet thickness may be exaggerated for clarity

- 1. elZinc® cladding
- 2. Membrane
- 3. Structural underlay
- 4. Folded galvanised steel profiles
- 5. elZinc® perforated sheet
- 6. elZinc® retention profile
- 7. Insulation
- 8. Wooden batten
- 9. Wall bracket
- 10. Substrate

Sistema de Gestión de Calidad Certificado nº 12 100 42 851 TMS


The information contained in this document-drawing- has a purely informative function and been elaborated with the intention of assisting Duilding professionals in regard to the installation of el2finds cladding systems. It is the responsability of the architect, building contractor and installer in any case be ensure the validity of the specific delate semptived on each project. Asla-el2find9 rejects any responsibility due to direct or indirect damage that may arise from the use of the information contained in this document.



elZinc® Tel. +34 984 116 332 Fax. +34 985 493 202 Asturiana de Laminados S.A. Pol. Ind. de Olloniego, Parcela C1 33660 Olloniego Asturias, Spain



ASS H 5.2.02 Capped internal corner.



Scale 1/4

Notes:

- Faces of corner capping can be adjusted to tie in visually with other cladding elements.
- Similar in concept to external corner ASS H 5.1.02.
- Generic structural details are given for indicative purposes only.

All dimensions are indicative unless specified on the drawing Sheet thickness may be exaggerated for clarity

- elZinc® cladding
 Membrane
- Structural underlay
- Folded galvanised steel profiles
- elZinc® perforated sheet
- elZinc® retention profile
- 7. Insulation
- 8. Wooden batten
- 9. Wall bracket
- 10. Substrate

Sistema de Gestión de Calidad Certificado nº 12 100 42 851 TMS

The information contained in this document-drawing- has a purely informative function and been elaborated with the intention of assisting Duilding professionals in regard to the installation of eLTro® cladding systems. It is the responsability of the architect, building contractor and installer in any case the ensure the validity of the specific details employed on each project. Asla-eLTro® rejects any responsibility due to direct or indirect damage that may arise from the use of the information contained in this document.



elZinc® Tel. +34 984 116 332 Fax. +34 985 493 202 Asturiana de Laminados S.A. Pol. Ind. de Olloniego, Parcela C1 33660 Olloniego Asturias, Spain