


Engineered façades - Façade Panel (vertical design)

FP V 6.1.02 Corner abutment with panel.



ND

Scale 1/4

All dimensions are indicative unless specified on the drawing Sheet thickness may be exaggerated for clarity

Notes:

- 'A' shows installation starting at the abutment.
- 'A' shows an alternative flashing detail.
- 'B' shows installation finishing at the abutment. The last panel must be fixed with a visible screw.
- See FP V 5.1.02 for matching outside corner detail and FP V 5.2.02 for matching internal corner detail.
- See FP V 6.1.01 for an abutment detail using a flashing piece.

- 1. elZinc® cladding
- 2. elZinc® weathering strip
- 3. elZinc® corner profile
- 4. elZinc® retaining strip
- 5. elZinc® perforated strip / perforated panel
- 6. Structural underlay
- 7. Insulation
- 8. Metal rail
- 9. Wall bracket
- 10. Folded galvanised sheet
- 11. Membrane
- 12. Structure

Sistema de Gestión de Calidad Certificado nº 12 100 42 851 TMS

The information contained in this document-drawing- has a purely informative function and been elaborated with the intention of assisting building professionals in regard to the installation of elZno® cladding systems. It is the responsibility of the architect, building contractor and installer in any case to ensure the validity of the specific details employed on each project. Asla-elZno® rejects any responsibility due to direct or indirect damage that may arise from the use of the information contained in this document



