


FL 5.2.01 Reverse internal corner.



Scale 1/4

Notes:

- Similar in concept to external corner FL 5.1.01.
- The face widths of the corner weathering strip can be adjusted to tie in with other elements of the façade, such as the front face of the wall coping.
- Generic structural details are given for indicative purposes only.
- 1. elZinc® cladding
- 2. Membrane
- 3. Structural underlay
- 4. Folded galvanised steel profiles
- 5. elZinc® perforated sheet
- 6. elZinc® retention profile
- 7. Insulation
- 8. Wooden batten
- 9. Wall bracket
- 10. Substrate

Sistema de Gestión de Calidad Certificado nº 12 100 42 851 TMS


The information contained in this document-drawing- has a purely informative function and been elaborated with the intention of assisting building professionals in regard to the installation of eZinc80 cladding systems. It is the responsability of the architect, building contractor and installer in any case to ensure the vaciatity of the specific details employed on each project. Asile +dZinc87 rejects any responsibility due to direct or indirect damage that may arise from the use of the information contained in this document. elZinc® Tel. +34 984 116 332 Fax. +34 985 493 202 Asturiana de Laminados S.A. Pol. Ind. de Olloniego, Parcela C1 33660 Olloniego Asturias, Spain

All dimensions are indicative unless specified on the drawing

Sheet thickness may be exaggerated for clarity



FL 5.2.01 Reverse internal corner.



Scale 1/4

Notes:

- Similar in concept to internal corner FL 5.1.01.
- The face widths of the corner capping can be adjusted to tie in with other elements of the façade, such as the front face of the wall coping.
- Generic structural details are given for indicative purposes only.

All dimensions are indicative unless specified on the drawing Sheet thickness may be exaggerated for clarity

- 1. elZinc® cladding
- 2. Membrane
- 3. Structural underlay
- 4. Folded galvanised steel profiles
- 5. elZinc® perforated sheet
- 6. elZinc® retention profile
- 7. Insulation
- 8. Wooden batten
- 9. Wall bracket
- 10. Substrate

Sistema de Gestión de Calidad Certificado nº 12 100 42 851 TMS

The information contained in this document-drawing- has a purely informative function and been elaborated with the intention of assisting Duilding protessionals in regard to the installation of eLTro® cladding systems. It is the responsability of the architect, building contractor and installer in any case to ensure the validity of the specific deals employed on each project. Asla-eLTro® rejects any responsibility due to direct or indirect damage that may arise from the use of the information contained in this document



elZinc® Tel. +34 984 116 332 Fax. +34 985 493 202 Asturiana de Laminados S.A. Pol. Ind. de Olloniego, Parcela C1 33660 Olloniego Asturias, Spain