



Traditional systems - Flat lock shingles

FL 6.1.02 Receiving strip abutment.





All dimensions are indicative unless specified on the drawing Sheet thickness may be exaggerated for clarity

Scale 1/4 Notes:

- 'A' and 'B' are visual alternatives.
- Similar in concept to external corner 5.1.02 internal corner FL 5.2.02.
- Generic structural details are given for indicative purposes only.
- 1. elZinc® cladding
- 2. Membrane
- Structural underlay 3.
- 4. Folded galvanised steel profiles

elZinc®


- 5. elZinc® perforated sheet
- 6. elZinc® retention profile
- 7. Insulation
- 8. Wooden batten
- 9. Wall bracket
- 10. Substrate






Traditional systems - Flat lock shingles

FL 6.1.02 Receiving strip abutment.





All dimensions are indicative unless specified on the drawing Sheet thickness may be exaggerated for clarity

Scale 1/4

Notes:

- 'A' and 'B' are visual alternatives.
- Similar in concept to external corner 5.1.02 internal corner FL 5.2.02.
- Generic structural details are given for indicative purposes only.
- 1. elZinc® cladding
- 2. Membrane
- Structural underlay 3.
- 4. Folded galvanised steel profiles

elZinc®

- 5. elZinc® perforated sheet
- 6. elZinc® retention profile
- 7. Insulation
- 8. Wooden batten
- 9. Wall bracket
- 10. Substrate