



# T D 7.1.01 Vertical window section (Vented sill).





### Scale 1/5

#### Notes:

- Used for wide windows with a vented sill. For narrow windows with an . un-vented sill, see TD 7.2.01. y TD 7.2.02.
- For horizontal section see TD 7.1.02.
- It is recommended to overlap the cladding with the sill by a minimum of 60mm.
- Generic structural details are given for indicative purposes only.
- Window sections reproduced courtesy of Technal.

- 1. elZinc® cladding
- 2. Membrane
- Structural underlay 3.
- 4. Folded galvanised steel profiles
- 5. elZinc® perforated sheet
- 6. elZinc® retention profile
- Insulation 7.
- 8. Wooden batten
- 9. Wall bracket
- 10. Substrate
- 11. elZinc® Diamond Tile

Sistema de Gestión de Calidad Certificado nº 12 100 42 851 TMS



The information contained in this document-drawing-has a purely informative function and been elaborated with the intention of assisting building professionals in regard to the installation of elaCino® cladding systems. It is the response the architect, building contractor and installer in any case to ensure the validity of the specific details employed on eaad project. Asla-el/Zino® rejects any responsibility due to direct or indirect damage that may arise from the use of the information contained in this document.

All rights reserved with regard to this document



elZinc® Tel. +34 984 116 332 Fax. +34 985 493 202 www.elzinc.es


Asturiana de Laminados S.A. Pol. Ind. de Olloniego, Parcela C1 33660 Olloniego Asturias, Spain elzinc@aslazinc.com

All dimensions are indicative unless specified on the drawing

Sheet thickness may be exaggerated for clarity



## T D 7.1.01 Vertical window section (Vented sill).



### Scale 1/5

All dimensions are indicative unless specified on the drawing Sheet thickness may be exaggerated for clarity

#### Notes:

- Used for wide windows with a vented sill. For narrow windows with an . un-vented sill, see TD 7.2.01. y TD 7.2.02.
- For horizontal section see TD 7.1.02.
- It is recommended to overlap the cladding with the sill by a minimum of 60mm.
- Generic structural details are given for indicative purposes only.
- Window sections reproduced courtesy of Technal.

- 1. elZinc® cladding
- 2. Membrane
- 3. Structural underlay
- 4. Folded galvanised steel profiles
- 5. elZinc® perforated sheet
- 6. elZinc® retention profile
- 7. Insulation
- 8. Wooden batten
- 9. Wall bracket
- 10. Substrate
- 11. elZinc® Diamond Tile

Sistema de Gestión de Calidad Certificado nº 12 100 42 851 TMS

The information contained in this document-drawing- has a purely informative function and been elaborated with the intention of assisting building professionals in regard to the installation of elZno® cladding systems. It is the responsable the architect, building contractor and installer in any case to ensure the validity of the specific details employed on each project. Asia-elZino® rejects any responsibility due to direct or indirect damage that may arise from the use of the information contained in this document.

All rights reserved with regard to this document

πιν

Tel. +34 984 116 332 Fax. +34 985 493 202 www.elzinc.es

elZinc® Asturiana de Laminados S.A. Pol. Ind. de Olloniego, Parcela C1 33660 Olloniego Asturias, Spain elzinc@aslazinc.com