




Traditional systems - Rhomboid Tile

TR 1.1.02 Rhomboid tile joints.







B-B'. RHOMBO TILE

ON SOFTWOOD BOARDING

All dimensions are indicative unless specified on the drawing

Sheet thickness may be exaggerated for clarity

Scale 1/4

Notes:


- Tiles are direct fixed to the fully supporting substrate.
- They interlock along each edge with one another to provide a weather-tight cladding.
- 1. elZinc® cladding
- 2. Membrane
- 3. Structural underlay
- 4. Folded galvanised steel profiles
- 5. elZinc® perforated sheet
- 6. elZinc® retention profile
- 7. Insulation
- 8. Wooden batten
- 9. Wall bracket
- 10. Substrate
- 11. elZinc® Rhomboid Tile








TR 1.1.02 Rhomboid tile joints.







All dimensions are indicative unless specified on the drawing

Sheet thickness may be exaggerated for clarity

Scale 1/4

Notes:

- Tiles are direct fixed to the fully supporting substrate.
- They interlock along each edge with one another to provide a weather-tight cladding.
- 1. elZinc® cladding
- 2. Membrane
- 3. Structural underlay
- 4. Folded galvanised steel profiles
- 5. elZinc® perforated sheet
- 6. elZinc® retention profile
- 7. Insulation
- 8. Wooden batten
- 9. Wall bracket
- 10. Substrate
- 11. elZinc® Rhomboid Tile

