


Traditional systems - Double lock standing seam.

DLSS 11.3.01c Walted chimney, faces directly connected to upstands.



Scale 1/5

Notes:

- In this solution, the chimney wall cladding is directly folded over the roofing sheet
 upstands. The chimney corner joints start from the top of the swept upstands (that
 are opened out to form an angle seam) and maintain the same angle (on plan) up
 the chimney.
- See DLSS 11.3.01a for more details regarding the roofing sheet upstands.
- The top detail depends on the type of chimney stack detail see DLSS 11.1.01 for an example.
- For chimneys wider than two bays it is recommended to incorporate a cricket in the back gutter to channel rainwater around the chimney.
- See DLSS 11.3.01b for an alternative solution to the chimney cladding.
- Generic structural details are shown for illustrative purposes only.


- 1. elZinc® cladding
- 2. Membrane
- 3. Structural underlay
- 4. Folded galvanised steel profiles
- 5. elZinc® perforated sheet
- 6. elZinc® retention profile
- 7. Insulation
- 8. elZinc® hung gutter
- 9. Gutter clip
- 10. Gutter bracket
- 11. elZinc® clip
- 12. Substrate





Traditional systems - Double lock standing seam.

DLSS 11.3.01c Walted chimney, faces directly connected to upstands.



Scale 1/5

Notes:

- In this solution, the chimney wall cladding is directly folded over the roofing sheet
 upstands. The chimney corner joints start from the top of the swept upstands (that
 are opened out to form an angle seam) and maintain the same angle (on plan) up
 the chimney.
- See DLSS 11.3.01a for more details regarding the roofing sheet upstands.
- The top detail depends on the type of chimney stack detail see DLSS 11.1.01 for an example.
- For chimneys wider than two bays it is recommended to incorporate a cricket in the back gutter to channel rainwater around the chimney.
- See DLSS 11.3.01b for an alternative solution to the chimney cladding.
- Generic structural details are shown for illustrative purposes only.

- 1. elZinc® cladding
- 2. Membrane
- 3. Structural underlay
- 4. Folded galvanised steel profiles
- 5. elZinc® perforated sheet
- 6. elZinc® retention profile
- 7. Insulation
- 8. elZinc® hung gutter
- 9. Gutter clip
- 10. Gutter bracket
- 11. elZinc® clip
- 12. Substrate

Sistema de Gestión de Calidad Certificado nº 12 100 42 851 TMS

The information contained in this document-drawing- has a purely informative function and been elaborated with the intention of assisting building professionals in regard to the installation of elZnöö cladding systems. It is the responsability of he architect, building outractor and installer in any case to ensure the validing of the specific details employed on each project. Asia-elZino® rejects any responsibility due to direct or indirect damage that may arise from the use of the

