


## DLSS 4.1.01 Ventilated ridge.



All dimensions are indicative unless specified on the drawing Sheet thickness may be exaggerated for clarity

### Scale 1/5

# Notes:

- Head of seam shown finished according to DLSS 1.2.2.03a. See DLSS 1.2.2.01 and 1.2.2.03b for alternatives.
- 'A' shows top of seam closed for extra weatherability and is recommended for very exposed roofs.
- 'B' shows typical detail.
- Outline structural details are shown for indicative purposes only.

- 1. elZinc® cladding
- 2. Membrane
- Structural underlay 3.
- Folded galvanised steel profiles

elZinc®

- elZinc® perforated sheet 5.
- elZinc® retention profile 6.
- 7. Insulation
- 8. elZinc® hung gutter

Tel. +34 984 116 332 Fax. +34 985 493 202


- 9. Gutter clip
- 10. Gutter bracket
- 11. elZinc® clip
- 12. Substrate







## DLSS 4.1.01 Ventilated ridge.



All dimensions are indicative unless specified on the drawing Sheet thickness may be exaggerated for clarity

## Scale 1/5

# Notes:

- Head of seam shown finished according to DLSS 1.2.2.03a. See DLSS 1.2.2.01 and 1.2.2.03b for alternatives.
- 'A' shows top of seam closed for extra weatherability and is recommended for very exposed roofs.
- 'B' shows typical detail.
- Outline structural details are shown for indicative purposes only.

- 1. elZinc® cladding
- 2. Membrane
- Structural underlay
- Folded galvanised steel profiles

elZinc®

- 5. elZinc® perforated sheet
- 6. elZinc® retention profile
- 7. Insulation
- 8. elZinc® hung gutter
- 9. Gutter clip
- 10. Gutter bracket
- 11. elZinc® clip
- 12. Substrate

