


## Traditional systems - Double lock standing seam

#### DLSS 3.4.02c Hidden boxed eaves gutter (over zinc fascia).



All dimensions are indicative unless specified on the drawing Sheet thickness may be exaggerated for clarity

# Scale 1/5 Notes:

## Foot of seam shown finished according to DLSS 1.2.1.02a. See DLSS 1.2.1.02b to 1.2.1.05c for alternatives.

- In the event of outlet blockage, the gutter overflows over its front edge.
- 'A' show a flat lock fascia.

- 1. elZinc® cladding
- 2. Membrane
- 3. Structural underlay
- 4. Folded galvanised steel profiles
- 5. elZinc® perforated sheet
- 6. elZinc® retention profile
- 7. Insulation
- 8. elZinc® hung gutter
- 9. Gutter clip
- 10. Gutter bracket
- 11. elZinc® clip
- 12. Substrate










## Traditional systems - Double lock standing seam

#### DLSS 3.4.02c Hidden boxed eaves gutter (over zinc fascia).



Scale 1/5

All dimensions are indicative unless specified on the drawing Sheet thickness may be exaggerated for clarity

#### Notes:

- Foot of seam shown finished according to DLSS 1.2.1.02a. See DLSS 1.2.1.02b to 1.2.1.05c for alternatives.
- In the event of outlet blockage, the gutter overflows over its front edge.
- 'A' show a flat lock fascia.

- 1. elZinc® cladding
- 2. Membrane
- 3. Structural underlay
- 4. Folded galvanised steel profiles
- 5. elZinc® perforated sheet
- 6. elZinc® retention profile
- 7. Insulation
- 8. elZinc® hung gutter
- 9. Gutter clip
- 10. Gutter bracket
- 11. elZinc® clip
- 12. Substrate



